


catalogue
of waxes
for dental
prosthesis



cera
www.cerareus.com
S.A.
REUS

CERA REUS, S. A.

Plaza Castell, 5 - 43201 REUS - SPAIN

Tel. 977 341 240 - Fax: 977 345 021

Web: www.cerareus.com

e.mail: cerareus@cerareus.com





NORMAL MODELLING WAX / SOFT PINK UNIVERSAL MODELLING WAX

Multi-purpose standard modelling wax, adequate for works with removable prosthesis where a low melting point, good elasticity and good adherent properties are required.


HOT CLIMATE MODELLING WAX / HARD PINK UNIVERSAL MODELLING WAX

Modelling wax for removable prosthesis, ideal to manipulate under hot climatic conditions. Its characteristics are similar to the ones of the NORMAL MODELLING WAX but with higher melting point, more stiffness and less adherence.

NORMAL MODELLING WAX JEWELLERY IN 3 DIFFERENT THICKNESS SOFT PINK UNIVERSAL JEWELLER'S MODELLING WAX IN 3 THICKNESS

NORMAL MODELLING WAX laminated in thickness presented in boxes of 450g ideal for jeweller's works. Available in box of 3 thickness: 6 sheets of 2mm, 6 sheets of 1.5mm and 8 sheets of 1mm or in box of a single thickness.

CODE	DESCRIPTION	UNITS	UNITS BOX & TYPE	SANITARY MARK
21001000	normal modelling wax reus 450 g	20 sheets	model-40	YES—CE
21001100	normal modelling wax reus 2.5 kg economical box	110 sheets	model-08	YES—CE
21401003	modelling wax jewellery 450g thickness 6-2/6-1.5/8-1 mm	20 sheets	model-40	no necessary
21411003	modelling wax jewellery 450 g 1mm	30 sheets	model-40	no necessary
21421003	modelling wax jewellery 450 g 2mm	15 sheets	model-40	no necessary
22001000	hot climate modelling reus 450 g	20 sheets	model-40	YES—CE
22001100	hot climate modelling wax reus 2.5 kg economical box	110 sheets	model-08	YES—CE



UNIVERSAL WINTER / SOFT MODELLING WAX LIGHT PINK

Multi-purpose modelling wax, ideal for removable prosthesis where a low melting point, good elasticity, easy handling and carving are required. this sort of wax in light pink colour is the most common for the European professionals.

UNIVERSAL SUMMER / HARD MODELLING WAX LIGHT PINK

Modelling wax for removable prosthesis, adequate for works under high temperature climatic conditions. This wax does not only differ from the UNIVERSAL WINTER MODELLING WAX by its higher melting point but also it has more stiffness and less adherence.

CODE	DESCRIPTION	UNITS	UNITS BOX & TYPE	SANITARY MARK
21201000	universal modelling wax winter light pink 450g	20 sheets	model-40	YES—CE
22201000	universal modelling wax summer light pink 450g	20 sheets	model-40	YES—CE

Special modelling waxes

cera reus



SPECIAL MODELLING WAXES PINK / RED / DARK RED.

The special waxes have been designed to satisfy all the dental prosthesis requirements. We have learnt from our experience during years of production for several European customers and have launched the SPECIAL wax line into the market. As a result of a thorough study and improvements of the different waxes in this market, collaborating with renowned professionals in this area, our technical department has developed a range of modelling waxes which meet all the prosthesis requirements in Europe. Its quick solidification after application, high resistance to break and excellent modelling capacity are the most important properties of this wax. Also its little memory and low thermal contraction prevent modifications in the assembly of the teeth.

FEATURES:

- Wax without any unpleasant odour or flavour.
- It doesn't irritate the oral tissues.
- Easy to manipulate, it doesn't adhere to the fingers.
- It doesn't leave residuals.
- Resistant to break or crumbling.
- Good flexibility and texture.
- Valid for making occlusion records.

SPECIAL MODELLING WAX WHITE

Due to its characteristics it is the perfect wax for study models and orthodontic works. Its white colour is similar to the colour of the teeth and contrasts to the pink modelling wax of the gum, so that the patient can slightly imagine the prosthesis treatment. Our technical department, in collaboration with renowned professionals of this area, has developed this product with the latest developments of the area of the raw materials and has notably improved the properties of the wax, so that the professional will obtain a final good quality product.

FEATURES:

- Wax without any unpleasant odour or flavour.
- Colour similar to the teeth.
- Uniform, it does not present granules or hard parts.
- Excellent flexibility and texture.
- Resistant to break and crumbling.
- Easy to manipulate.
- Facilitates the effective work due to its quick cooling down after application.

CODE	DESCRIPTION	UNITS	UNITS BOX & TYPE	SANITARY MARK
22501000	special pink modelling wax 450 g	20 sheets	model-40	YES—CE
22521000	special red modelling wax 450 g	20 sheets	model-40	YES—CE
22541000	special dark red modelling wax 450 g	20 sheets	model-40	YES—CE
22601000	special white modelling wax 450 g	20 sheets	model-40	YES—CE

cera
S.A.
REUS
www.cerareus.com




ARTICULAR WAX IN PLATES OF 4MM.

Wax indicated for occlusion records in fix prosthesis. Presented in plates. It is very hard in cold and has a high elasticity in hot to facilitate the occlusion records.



ARTICULAR WAX IN PLATES OF 2 MM.

Wax of easy handling, it allows rolls of any height without problems and is also adequate for occlusion records.



ARTICULAR HARD WAX PINK IN PLATES 450 GR.

Wax for making occlusion records of great accuracy thanks to its low contraction and memory. Its high hardness in cold as well as a great strength to the break at this same temperature are its principal features. It also has an extraordinary accuracy in the occlusion records, it doesn't present contraction problems when cooling down, this way the later work in lab is easier.

CODE	DESCRIPTION	UNITS	UNITS BOX & TYPE	SANITARY MARK
23003010	articular wax plates 4mm. 200 g	10 plates	ARTPL-20	YES—CE
23701000	articular hard wax pink plates 1.5mm. 450g	20 plates	MODEL-40	YES—CE
23801000	articular wax plates 2mm. 450g	15 plates	MODEL-40	YES—CE

Articular wax in bars and pre-shaped

cera reus



ARTICULAR WAX IN BARS

Specially indicated for occlusion records for patients without or only a few teeth. It is presented in bars for an easier handling and application. The bar can be 100 or 170 mm long.

There are two qualities:


- **Yellow articular wax in bars**, it needs a little bit warming up and is of normal hardness and elasticity.
- **Green articular wax in bars**, under normal conditions it does not need to be warmed up and has a good elasticity and less hardness.

ARTICULAR WAX PRE-SHAPED

A wax with the same characteristics and utility as the ARTICULAR WAX IN BARS but it is pre-shaped in horseshoe form which facilitates the professional's work and avoids the pressures which appear when spraining the bar.

Available in two qualities:

- **Yellow pre-shaped articular wax**
- **Green pre-shaped articular wax**



CODE	DESCRIPTION	UNITS	UNITS BOX & TYPE	SANITARY MARK
23203100	articular wax in bars,yellow,100mm,500g	50 bars	ARTBR-20	YES—CE
23271060	articular wax in bars,yellow,170mm ,600g	36 bars	ORTO-32	YES—CE
23303100	articular wax in bars, green,100mm,500g	50 bars	ARTBR-20	YES—CE
23371060	articular wax in bars, green,170mm,600g	36 bars	ORTO-32	YES—CE
23503100	preformed articular wax, yellow,200g	20 horseshoe	ARTBR-20	YES—CE
23603100	preformed articular wax, green,200g	20 horseshoe	ARTBR-20	YES—CE

cera
SA
REUS
www.cerareus.com



ORTHODONTIC WAX MINT FLAVOUR

The orthodontic technique behaves the use of brackets, wires and other supports which can irritate and cause discomfort due to the rubbing of the interior side of the mouth or tongue. Applying our orthodontic wax, we create a fine protecting layer which avoids this rubbing. Its soft composition which is easy to model with the fingers without breaking, makes that it perfectly adapts to the wire or supports which cause the discomfort. The wax is resistant to the saliva so that it will not crumble or detach from the wire and obtains an effective and lasting protection. It is presented in convenient individual plastic boxes which allow that the patient can make use of the wax wherever he wants and can save the rest.



CODE	DESCRIPTION	UNITS	UNITS BOX & TYPE	SANITARY MARK
24654100	mint flavour orthodontic wax 30 units plastic box 5 bars cera reus	5 bars/5g	ORTO-30	YES-CE



STICKY WAX IN BARS

Easy application due to its form in bars. Wax to fix removable prosthesis. Its high adherent properties make of this wax an excellent material to fix resin teeth to the former walls and to fix these walls to the model. It also allows to join the base-plates and occlusion blocks. Low contraction. Best fluidity when in liquid. Excellent adherent properties to metal. Rigid joints. Easy to remove by steam. It does not leave any residues what is of great advantage with refer to other substitutes. Easier application due to its presentation in bars.

Ref. 25005001

Presentation: case 12 bars

Weight: 100 g

Colour: natural yellow

P.F. 68°C

CE: NO



STICKY WAX IN TIN

Sticky wax for removable prosthesis. Due to its high adherent properties it is an excellent material to fix resin teeth to the former walls and to fix these walls to the model. It also allows the joint of the base-plates and occlusion records. Low contraction. Best fluidity in liquid. Excellent adherent properties to metal. Rigid joints. Easy to remove by steam, representing a great advantage referring to other substitutes, because it does not leave any residues.

Ref. 25005051

Presentation: metallic tin

Weight: 50 g

Colour: natural yellow

P.F. 68°C

CE: NO

Dental waxes for laboratory techniques

cera reus



MODELLING WAX HALF HARD

Half hard wax to model crowns, bridges and inlays. It is half hard, ideal for the majority of works. It is less rigid and has a higher resistance to break, the reason why it is used in the casting technique. Good consistency and tension free for precise margins. Uniform. It does not present granules or hard parts. Easy to remove without breaking, crumbling or laminating. Low contraction allows to work with more accuracy. The opaque blue colour allows an easy perception of the outline of the model margin line. It burns without residue. In solid, it is easy to manipulate and can be scratched without breaking. The liquid wax has an extraordinary plasticity that simplifies the preparation of the model.

Ref. 25055051

Presentation: metallic tin

Weight: 50 g

Colour: light blue

P.F. 73°C

CE: NO



MODELLING WAX HARD

Very hard wax with best properties for scratching. The premature contacts in occlusion surfaces can be more easily detected (the wax does not give during the occlusion). High stability under hot climatic conditions (summer). Ideal to model chewing surfaces and to shape the crown walls and to assemble the joints of the bridges for resin or ceramic inlays. Good consistency and tension free for precise margins. Uniform, it does not present granules or hard parts. Easy to carve without breaking, crumbling or laminating. Low contraction which allows to work with more accuracy. It burns without residue and the opaque colour allows an easy perception of the outline of the model margin line. In solid, it is easy to manipulate, you can scratch without breaking. The liquid wax has an extraordinary plasticity that simplifies the preparation of the model.

Ref. 25105051

Presentation: metallic tin

Weight: 50 g

Colour: dark blue

P.f. 90°C

CE: NO

cera
www.cerareus.com
REUS



CERVICAL WAX

Special tension free wax for precise cervical margins of crowns and inlays. Easy to manipulate with the hot spatula. Thanks to its good qualities, it can be separated of the crown without breaking or deforming. Easy to carve without breaking, crumbling or laminating. The opaque vivid red colour allows an easy outline perception of the margin line. Its low temperature of solidification facilitates a minimum contraction when cooling down. Soft, tension free and also elastic wax what makes that the separating of the crowns occurs without breaking.

Ref. 25155051

Presentación: metallic tin

Weight: 50 g

Colour: red

P.f. 61°C

CE: NO



MILLING WAX

An extremely hard wax. Due to this characteristic it is very appropriated for works with rotatory machines and warmed up instruments for the preparation of interior cones. At the end of the milling you always obtain a smooth surface. Easy to remove from the wax. Resistant to breaking and tearing. Easy manipulation with the hot spatula. Uniform, it does not present granules or hard parts. Easy to carve without breaking, crumbling or laminating. It burns without residue and guarantees a smooth straining off. The dark blue colour allows an easy perception of the outline model.

Ref. 25205051

Presentación: metallic tin

Weight: 50 g

Colour: dark blue

P.f. 115 °C

CE: NO

Dental waxes for laboratory techniques



cera reus

PRESENTATION WAX

Wax with excellent characteristics to study modelling and orthodontic works. Similar colour to the teeth. Uniform, it does not present granules or hard parts. Its low contraction allows to work with more rapidity. Easy working in solid and you can carve without breaking. the liquid wax has an extraordinary plasticity which simplifies the preparation of the model.



Ref. 25255051

Presentation: metallic tin

Weight: 50 g

Colour: white

P.f. 73°C

CE: NO

RED UTILITY WAX

Wax of general use, ideal to repair small imperfections, to fill holes or apply sprues to sprue bases since it adheres to almost all surfaces and its high melting point allows to work on it with modelling waxes. Red wax in sheets with plastic qualities under room temperature. It has adherent properties and builds up by rubbing the surface. Soft and flexible wax, high melting point. Presented in 2 forms: sheets and strips shape.



Ref. 24001051 Sheets

Ref. 24101051 Strips shape

Presentation:

6 sheets of 174*94*5 mm / 119 strips shape of 174 * 5 mm

Peso: 450 g / 375 g


Colour: dark red

P.f. 67/68°C

CE: NO

DIPPING WAX

A high quality wax, ideal for stumps immersion technique and also for the modeling of caps by hand. Great stability and elasticity, does not form drops, optimal viscosity, rapid cooling, minimum shrinkage, formation of uniform thickness layers. Granular presentation for easy blending.



Ref. 25504451

Presentation: plastic container

Weight: 80 g

Colour: yellow

P.f. 69°C

CE: NO

cera
www.cerareus.com
REUS

Metal denture base wax

cera reus

WAX SHEETS SMOOTH AND VEINED



Wax quickly and easily adaptable with good adhesion to the model during duplication.

It has transparency and high stability. Green Color.

Sheets measurements ; 150 * 75mm

Thickness: 0.3mm to 0.6mm

15 sheets / box

Available in smooth sheet, finely veined and coarsely veined.

CODE	DESCRIPTION	UNITS	SANITARY MARK
26500031	smooth green sheet thickness 0.3mm	15 sheets	NO—CE
26500041	smooth green sheet thickness 0.4mm	15 sheets	NO—CE
26500051	smooth green sheet thickness 0.5mm	15 sheets	NO—CE
26500061	smooth green sheet thickness 0.6mm	15 sheets	NO—CE
26520031	finely veined green sheet thickness 0.3mm	15 sheets	NO—CE
26520041	finely veined green sheet thickness 0.4mm	15 sheets	NO—CE
26520051	finely veined green sheet thickness 0.5mm	15 sheets	NO—CE
26520061	finely veined green sheet thickness 0.6mm	15 sheets	NO—CE
26540031	coarsely veined green sheet thickness 0.3mm	15 sheets	NO—CE
26540041	coarsely veined green sheet thickness 0.4mm	15 sheets	NO—CE
26540051	coarsely veined green sheet thickness 0.5mm	15 sheets	NO—CE
26540061	coarsely veined green sheet thickness 0.6mm	15 sheets	NO—CE

cera
www.cerareus.com
REUS

Metal denture base wax



cera reus

MESH RETENTION

Available in 2 formats:

Ref. 26552021 grid mesh



Ref. 26552041 round holes

Good adhesion to the model

Great stability

Quantity: 15 pcs red color NO CE

Dimensions: 66*66 mm



PERFORATED WAX RETAINER

Ref. 26552121

Good stability

Great plasticity and flexibility

Good adhesion to the model

Easy to work

Quantity: 25 uds red color NO CE

Dimensions: 130*10 mm



WAX TEMPLATES

Made of wax, high flexibility and adhesion. Green color. CE is not necessary.

Preforms for hooks in wax anatomical shape, easily adaptable. High stability to pressure.

HOOKS

PREMOLARS

Ref. 26552241

Quantity: 200 pcs

HOOKS MOLARS

Ref. 26552221

Quantity: 200 pcs

BONYHARD

Ref. 26552261



Quantity: 200 pcs

RING

CLASPS

Ref. 26552281

Quantity: 200 pcs



cera
www.cerareus.com
REUS

Preformed wax patterns for metal- ceramic



cera reus

tamaño	17/16	13	12	11	21	22	23	26/27	sup.prem.
1	E1	C1	A1	A1	A1	A1	C1	E1	D1
2	E2	C2	A2	A2	A2	A2	C2	E2	D2
3	E3	C3	A3	A3	A3	A3	C3	E3	D3
3	E3	D3	D3	C3	C3	D3	D3	E3	B3
2	E2	D2	D2	C2	C2	D2	D2	E2	B2
1	E1	D1	D1	C1	C1	D1	D1	E1	B1
diente	47/46	45	44	43	33	34	35	36/37	inf.anter.

INDIVIDUAL PREFORMED WAX PATTERN FOR METAL - CERAMIC

The great advantage of this preformed wax is that with a minimum quantity of models, we can confront the most demanding work without having to store a lot of pieces what is the reason why we had a considerable saving, more comfort and a better use of the space. We have obtained that after a thorough study collaborating with professionals of the sector that have been using them with great satisfaction.

TECHNICAL FEATURES: Easy manipulating with the spatula. It has a smooth efficient finish without pores. No residue when evaporating.



INDIVIDUAL BOX OF PREFORMED WAX: individual pieces. Box of 360 units; 5 shapes - 3 sizes. Replacements: bags of 24 units.

The technical amendments carried out in order to INCREASE the effectiveness, facilitate the work with the spatula: wider incisive and premolars. The area which is in contact with the tongue is more oval. These improvements facilitate a quicker work to obtain the dental piece.

cera
S.A.
REUS
www.cerareus.com

Preformed wax patterns for metal-ceramic



cera reus

TAMAÑO	16-15-14	12-11	11-21	21-22	24-25-26	DIENTE
1	L1	F1	A1	G1	M1	1
2	L2	F2	A2	G2	M2	2
3	L3	F3	A3	G3	M3	3
3	M3	B3	B3	B3	L3	3
2	M2	B2	B2	B2	L2	2
1	M1	B1	B1	B1	L1	1
DIENTE	46-45-44	42-41	41-31	31-32	34-35-36	TAMAÑO

PREFORMED WAX PATTERNS IN BLOCK FOR METAL - CERAMIC

These preformed wax patterns in block have been conceived for works where more than one dental piece has to be substituted. The great advantage of these patterns is that with a minimum number of pieces we can confront the most demanding work without having to store a great number of pieces, therefore, we get a considerable saving, more comfort and more space. We obtained the product after a thorough study in collaboration with professionals who have been using them with great satisfaction.


TECHNICAL FEATURES: Easy work with spatula. Plain finish without pores. Burns without traces.

BOX OF PREFORMED WAX PATTERNS IN BLOCK: Box of 432 pieces; 6 shapes, 3 sizes. Blocks of 2 piece for incisive and 3 pieces for molars and premolars. Replacements: Bags of 24 pieces.

In order to take advantage of the space and more comfort, we have reduced the number of models from 8 to 6, therefore, the professional can carry out a perfect work with less pieces.

CODE	DESCRIPTION	UNITS	UNITS BOX & TYPE	SANITARY MARK
29009- - -	bags of preformed wax patterns	24 patterns	----	not necessary
290092- -	bags of casting sprues triangle	12 triangles	----	not necessary
290090Z1	box of individual preformed patterns + casting sprues triangle	360 patterns + 24 triangles	----	not necessary
290090Z2	box of individual preformed patterns	360 patterns	----	not necessary
290091X3	box of preformed patterns in block	432 patterns	----	not necessary

cera
www.cerareus.com
REUS



WIRE WAX

Excellent wire wax which surpassed the most demanding tests and controls, presented in a big variety of types and diameters to meet all the professional's requirements. Thanks to its high quality composition of raw materials, this wire wax is tension free and avoids undesirable deformations of cast pieces and due to its high stability it has excellent qualities to work in cold and hot.

Available in two qualities: Hard (green/turquoise) and Medium hard (blue).

Its normal format is a continuous wire on spool of 250g. It is very economical and practical. You can take off the quantity you need without wasting the rest. The 0.8,1, and 1.5mm thick wire is available in 150mm long bars in boxes of 50g in order to facilitate the use in form of marginal threads or individual retentions.

CODE	DESCRIPTION	HARDNESS	COLOUR	UNITS BOX & WEIGHT	SANITARY MARK
27204351	wax wire 2,0 mm	medium	blue	1 spool of 250 g	NO
27254351	wax wire 2,5 mm	medium	blue	1 spool of 250 g	NO
27304351	wax wire 3,0 mm	medium	blue	1 spool of 250 g	NO
27404351	wax wire 4,0 mm	medium	blue	1 spool of 250 g	NO
27504351	wax wire 5,0 mm	medium	blue	1 spool of 250 g	NO
28084271	wax wire 0.8 mm	hard	green/turquoise	bars 150mm/box of 50 g	NO
28104271	wax wire 1,0 mm	hard	green/turquoise	bars 150mm/box of 50 g	NO
28154271	wax wire 1,5 mm	hard	green/turquoise	bars 150mm/box of 50 g	NO
28204351	wax wire 2,0 mm	hard	green/turquoise	1 spool of 250 g	NO
28254351	wax wire 2,5 mm	hard	green/turquoise	1 spool of 250 g	NO
28304351	wax wire 3,0 mm	hard	green/turquoise	1 spool of 250 g	NO
28404351	wax wire 4,0 mm	hard	green/turquoise	1 spool of 250 g	NO
28504351	wax wire 5,0 mm	hard	green/turquoise	1 spool of 250 g	NO



LINGUAL BARS WAX - HALF ROUND

Wax profiles for lingual bars, final rim and withholding , blue color, length 130mm, half round.
Wax of optimal adaptation and conformation without recoil forces, good stability to pressure.

CALIBRATED LINGUAL BARS WAX

Profiles and strips of wax calibrated for casting and lingual bars, blue color, length 130 mm.
Wax of optimal adaptation and conformation without recoil forces, good stability to pressure.

mm Ø						
ref.	28700021	28700041	28700061	28700221	28700241	28700261
cant.	50 g					

CODE	DESCRIPTION	WEIGHT	SANITARY MARK
28700021	half round lingual bar 2.0 *1.0 mm Ø	50g	NO
28700041	half round lingual bar 3.0 *1.5 mm Ø	50g	NO
28700061	half round lingual bar 4.0 *1.7 mm Ø	50g	NO
28700221	calibrated lingual bar 4.0 *1.7 mm Ø	50g	NO
28700241	calibrated lingual bar 4.0 *1.7 mm Ø	50g	NO
28700261	calibrated lingual bar 4.0 *2.4 mm Ø	50g	NO

catalogue
of waxes
for dental
prosthesis



cera
SA
REUS
www.cerareus.com

CERA REUS, S. A.

Plaza Castell, 5 - 43201 REUS - SPAIN
Tel. 977 341 240 - Fax: 977 345 021
Web: www.cerareus.com
e.mail: cerareus@cerareus.com

